





OE8206 - Lincat Opus 800 Electric Counter-top Griddle - W 900 mm - 12.0 kW Cooking a Full English Breakfast has never been easier than it is with the Opus 800 Electric Griddle, which utilises a maximised cooking area.

Maximised cooking area, griddle plates sit flush to the sides of the unit

Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously

12.0 90-300 IP24 Idth x Depth) mm 890 x 600 Mechanical  per Hour 160 x 225g[8oz]steaks[chille
IP24  Idth x Depth) mm 890 x 600  Mechanical  Per Hour 160 x 225g [8oz] steaks [chille
htrol 890 x 600 Mechanical  per Hour 160 x 225g [8oz] steaks [chille
Mechanical  Mechanical  Mechanical
<b>per Hour</b> 160 x 225g [8oz] steaks [chille
ections
ections
ections
tion Yes
cal Supply Yes
No
ring Yes
Rating Watts 12,000
<b>ps</b> 52.2
tage 230
L1=17.4; L2=17.4; L3=17.4
tage 400
Rating ps tage ps

## Available Accessories LK11 OPUS 800 LONG LEG KIT OA8914 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm OA8914/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 900 mm OA8973 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 900 mm







## **Available Accessories**


OA8973/C

Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 900 mm

## **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm